

**RDC-5K**



Specification:  
 Number of Keys: 113  
 Key switch Technology: Short travel keys  
 Actuation Force/Travel: 2.0 N / 1.3mm  
 Key switch Lifetime: 10 Million  
 Protection Level: IP65, NEMA 4x  
 Mounting Type: 19" rack mount  
 Dimensions: 482.6 x 406.4 x 44.5mm  
 19" x 15" x 1.75" (19"; 1U)  
 Weight: 3680g  
 Operating Temperature: -40 °C to 60 °C

| Item No.         | Product Name                            |
|------------------|---|
| RDC-5K-PS2       | RDC-5K with PS/2 cable                  |
| RDC-5K-USB       | RDC-5K with USB cable                   |
| RDC-5K-16-T-xxx  | RDC-5K with 16" Rails T-Handle          |
| RDC-5K-17-RX-xxx | RDC-5K with 16" Rails T-Handle with Key |

**RDC-1000**

Specification:  
 Number of Keys: 114  
 Key switch Technology: Short travel keys  
 Actuation Force/Travel: 2.0 N / 1.3mm  
 Key switch Lifetime: 10 Million  
 Protection Level: IP65, NEMA 4x  
 Mounting Type: 19" rack mount  
 Dimensions: 482.6 x 406.4 x 44.5mm  
 19" x 15" x 1.75" (19"; 1U)  
 Weight: 6900g  
 Operating Temperature: -40 °C to 60 °C



| Item No.           | Product Name                              |
|--------------------|---|
| RDC-1000-PS2       | RDC-1000 with PS/2 cable                  |
| RDC-1000-USB       | RDC-1000 with USB cable                   |
| RDC-1000-16-T-xxx  | RDC-1000 with 16" Rails T-Handle          |
| RDC-1000-16-RX-xxx | RDC-1000 with 16" Rails T-Handle with Key |

**RDC-1535**



Specification:  
 Number of Keys: 101  
 Key switch Technology: Long travel keys  
 Actuation Force/Travel: 0.5 N / 3.0mm  
 Key switch Lifetime: 10 Million  
 Protection Level: IP65/IP20 (draw closed/open)  
 Mounting Type: 19" rack mount  
 Dimensions: 482.6 x 406.4 x 44.5mm  
 19" x 15" x 1.75" (19"; 1U)  
 Weight: 7360g  
 Operating Temperature: -40 °C to 60 °C

| Item No.           | Product Name                              |
|--------------------|---|
| RDC-1535-PS2       | RDC-1535 with PS/2 cable                  |
| RDC-1535-USB       | RDC-1535 with USB cable                   |
| RDC-1535-16-T-xxx  | RDC-1535 with 16" Rails T-Handle          |
| RDC-1535-16-RX-xxx | RDC-1535 with 16" Rails T-Handle with Key |

**RDC-3000**



Specification:  
 Number of Keys: 113  
 Key switch Technology: Short travel keys  
 Actuation Force/Travel: 2.0 N / 1.3mm  
 Key switch Lifetime: 10 Million  
 Protection Level: IP65, NEMA 4x  
 Mounting Type: 19" rack mount  
 Dimensions: 482.6 x 406.4 x 44.5mm  
 19" x 15" x 1.75" (19"; 1U)  
 Weight: 7360g  
 Operating Temperature: -40 °C to 60 °C

| Item No.           | Product Name                              |
|--------------------|---|
| RDC-3000-PS2       | RDC-3000 with PS/2 cable                  |
| RDC-3000-USB       | RDC-3000 with USB cable                   |
| RDC-3000-16-T-xxx  | RDC-3000 with 16" Rails T-Handle          |
| RDC-3000-17-RX-xxx | RDC-3000 with 16" Rails T-Handle with Key |

**ACK-730**

Specification:  
 Number of Keys: 104  
 Key switch Technology: Long travel keys  
 Actuation Force/Travel: 0.6 N / 4.0mm  
 Key switch Lifetime: 10 Million  
 Protection Level: IP65/IP20 (draw closed/open)  
 Mounting Type: 19" rack mount  
 Dimensions: 482.6 x 326.2 x 44.4mm  
 19" x 13" x 1.75" (19"; 1U)  
 Weight: 6800g  
 Operating Temperature: 0 °C to 55 °C



| Item No.       | Product Name            |
|----------------|-------------------------|
| ACK-730-PB-MRP | ACK-730 with PS/2 cable |
| ACK-730-UB-MRP | ACK-730 with USB cable  |

**TKL-107-TOUCH-SCHUBL-WHITE**



Specification:  
 Number of Keys: 107  
 Key switch Technology: Long travel keys  
 Actuation Force/Travel: 0.5 N / 3.0mm  
 Key switch Lifetime: 6 Million  
 Protection Level: IP20  
 Mounting Type: 19" rack mount  
 Dimensions: 482.6 x 350.5 x 44.5mm  
 19" x 13.8" x 1.75" (19"; 1U)  
 Weight: 6000g  
 Operating Temperature: -40 °C to 60 °C

| Item No. | Product Name                       |
|----------|------------------------------------|
| KL00221  | TKL-107-TOUCH-SCHUBL-WHITE-PS/2-US |

**TKL-84a-4400-SCHUBL**



Specification:  
 Number of Keys: 84  
 Key switch Technology: Long travel keys  
 Actuation Force/Travel: 0.5 N / 3.0mm  
 Key switch Lifetime: 20 Million  
 Protection Level: IP65/IP20 (draw closed/open)  
 Mounting Type: 19" rack mount  
 Dimensions: 482.6 x 220 x 44.5mm  
 19" x 8.6" x 1.75" (19"; 1U)  
 Weight: 6000g  
 Operating Temperature: -40 °C to 60 °C

| Item No. | Product Name                |
|----------|-----------------------------|
| KL01227  | TKL-84a-4400-SCHUBL-PS/2-US |
| KL02026  | TKL-84a-4400-SCHUBL-USB-US  |

**TKL-102-IP65-SCHUBL**

Specification:  
 Number of Keys: 104  
 Key switch Technology: Long travel keys  
 Actuation Force/Travel: 0.6 N / 4.0mm  
 Key switch Lifetime: 5 Million  
 Protection Level: IP65/IP20 (draw closed/open)  
 Mounting Type: 19" rack mount  
 Dimensions: 482.6 x 326.2 x 44.4mm  
 19" x 13" x 1.75" (19"; 1U)  
 Weight: 6500g  
 Operating Temperature: -40 °C to 60 °C

| Item No. | Product Name                |
|----------|-----------------------------|
| KL09246  | TKL-102-IP65-SCHUBL-PS/2-US |



**RAC-116**



Specification:  
 Number of Keys: 105  
 Key switch Technology: Long travel keys  
 Actuation Force/Travel: 0.5 N / 3.0mm  
 Key switch Lifetime: 10 Million  
 Protection Level: IP20  
 Mounting Type: 19" rack mount  
 Dimensions: 400 x 238 x 34mm  
 Weight: 7000g  
 Operating Temperature: 0 °C to 55 °C

| Item No. | Product Name                                 |
|----------|--|
| RAC-116W | Rack-mount Keyboard & Touchpad Drawer, beige |
| RAC-116B | Rack-mount Keyboard & Touchpad Drawer, black |

15" LCD Keyboard Drawer Unicorn 15



Specification:  
 Number of Keys: 106  
 Key switch Technology: Long travel keys  
 Actuation Force/Travel: 0.6 N / 3.0mm  
 Key switch Lifetime: 1 Million  
 Protection Level: IP20  
 Mounting Type: 19" rack mount  
 Dimensions: 482.6 x 527 x 44.5mm  
 19" x 20.7" x 1.75" (19"; 1U)  
 Weight: 16kg  
 Operating Temperature: 0 °C to 50 °C

| Item No.   | Product Name            |
|------------|-------------------------|
| Unicorn 15 | 15" LCD Keyboard Drawer |

17" LCD Keyboard Drawer Unicorn 17

Specification:  
 Number of Keys: 106  
 Key switch Technology: Long travel keys  
 Actuation Force/Travel: 0.6 N / 3.0mm  
 Key switch Lifetime: 1 Million  
 Protection Level: IP20  
 Mounting Type: 19" rack mount  
 Dimensions: 482.6 x 532 x 44.5mm  
 19" x 20.9" x 1.75" (19"; 1U)  
 Weight: 17.5kg  
 Operating Temperature: 0 °C to 50 °C



| Item No.   | Product Name            |
|------------|-------------------------|
| Unicorn 17 | 17" LCD Keyboard Drawer |

KD 8170N – 17" LCD



Specification:  
 Number of Keys: 104  
 Key switch Technology: Long travel keys  
 Actuation Force/Travel: 0.5 N / 3.0mm  
 Key switch Lifetime: 5 Million  
 Protection Level: IP20  
 Mounting Type: 19" rack mount  
 Dimensions: 482.6 x 599.4 x 44.5mm  
 19" x 23.6" x 1.75" (19"; 1U)  
 Weight: 18kg  
 Operating Temperature: 0 °C to 50 °C

| Item No. | Product Name   |
|----------|--|
| KD8170N  | 1U, 17" 1280x1024 LCD monitor Drawer, keyboard, touch pad, Black color |